## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark:	DOTLUX

Supplier's address: Produktmanagement, Richard-Stücklen-Str. 7, 91781 Weißenburg, DE

Model identifier: 3943-040IP665M

_		•			
11/1	ഘ	Λt	liont	sourc	Ά.
	~	v	115111	3041	

Lighting technology used:	LED	Non-directional or directional:	DLS
Light source cap-type	Other elec-		
(or other electric interface)	tric interface		
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	Only with spe- cific dimmers


## **Product parameters**

Product parameters				
Parameter		Value	Parameter	Value
General product parameters:				
	nption in on- 00 h), rounded st integer	48	Energy efficiency class	F
dicating if it refe a sphere (360º)	s flux (фuse), in- ers to the flux in , in a wide cone arrow cone (90º)	4 150 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	4 000
On-mode pow pressed in W	ver (P <sub>on</sub> ), ex-	48,0	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,00
Networked standby power (P <sub>net</sub> ) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	92
Outer dimen-	Height	1	Spectral power dis-	See image
sions without	Width	10	tribution in the	in last page
separate con- trol gear, light-	Depth	5 000	range 250 nm to 800 nm, at full-load	

ing control parts and non-lighting control parts, if any (millimetre)			
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-
		Chromaticity coordi-	0,375
		nates (x and y)	0,372
Parameters for directional light sources:			
Peak luminous intensity (cd)	1 321	Beam angle in degrees, or the range of beam angles that can be set	120
Parameters for LED and OLED light sources:			
R9 colour rendering index value	78	Survival factor	0,80
the lumen maintenance factor	0,10		

(a)<sub>'-'</sub>: not applicable;

(b)<sub>'-'</sub> : not applicable;



Model placed on the Union market from 01/01/2018



**EPREL registration number:** 714833 https://eprel.ec.europa.eu/qr/714833

Supplier: DOTLUX GmbH (Manufacturer) Website: www.dotlux.de

**Customer care service:** 

Name: Produktmanagement Website: www.dotlux.de

Email: info@dotlux.de Phone: 09141 4051 0

Address:

Richard-Stücklen-Str. 7 91781 Weißenburg

Germany